

S76	6	((("6470388").PN.) or (("4462077"   "4849879"   "4985894"   "5251152"   "5379406"   "5446680"   "5504863"   "5553235"   "5612898"   "5642478"   "5664093"   "5715432"   "5748881"   "5802291"   "5958004"   "6260062"   "6263255").PN.)) and priority	USPAT	OR	ON	2003/10/10 17:59
S77	2	("709"/\$3 or "714"/\$6).cccls. and collect\$3 with (log or data or information) with priority adj5 (low\$2 or high\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/10 18:06
S78	6	("709"/\$3 or "714"/\$6).cccls. and retriev\$3 with (log or data or information) with priority adj5 (low\$2 or high\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/10 18:07
S79	51	("709"/\$3 or "714"/\$6).cccls. and (collect\$3 or retriev\$3) with (log or data or information) with (state or level or priority) adj5 (low\$2 or high\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 14:08
S80	38	((("709"/\$3 or "714"/\$6).cccls. and (collect\$3 or retriev\$3) with (log or data or information) with (state or level or priority) adj5 (low\$2 or high\$2)) and (@AD<"19991119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 08:57
S81	0	((("709"/\$3 or "714"/\$6).cccls. and (collect\$3 or retriev\$3) with (log or data or information) with (state or level or priority) adj5 (low\$2 or high\$2)) and (@AD<"19991119")) and (collect\$3 or retriev\$3) with (log adj3 data) with (state or level or priority) adj5 (low\$2 or high\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/10 18:09
S82	1	((("709"/\$3 or "714"/\$6).cccls. and (collect\$3 or retriev\$3) with (log or data or information) with (state or level or priority) adj5 (low\$2 or high\$2)) and (@AD<"19991119")) and (collect\$3 or retriev\$3) with (log) with (state or level or priority) adj5 (low\$2 or high\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/10 18:09
S83	1703	((("709"/\$3 or "714"/\$6).cccls. and (collect\$3 or retriev\$3 or gather\$3) with (log or data or information) with (state or level or priority) ) and (@AD<"19991119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 08:58

S84	17	((("709"/\$3 or "714"/\$6).ccls. and (collect\$3 or retriev\$3 or gather\$3) with (log or data or information) with ( priority) with based ) and (@AD<"19991119"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 08:58
S85	17	((("709"/\$3 or "714"/\$6).ccls. and (collect\$3 or retriev\$3 or gather\$3) with (log or data or information) with ( priority) with (accord\$4 or based) ) and (@AD<"19991119"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 14:04
S86	6	("5263167"   "5724571"   "5761662"   "5931907"   "5978799"   "6115040").PN.	USPAT	OR	ON	2003/10/13 13:56
S87	1	"6424968".URPN.	USPAT	OR	ON	2003/10/13 14:03
S88	1	((("5263167"   "5724571"   "5761662"   "5931907"   "5978799"   "6115040").PN.) or "6424968".URPN.) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/13 14:04
S89	3	((("3818458") or ("6317701") or ("6421676")).PN.	USPAT; USOCR	OR	OFF	2003/10/13 14:12
S90	1	("6470388").PN.	USPAT; USOCR	OR	OFF	2003/10/13 14:10
S91	4	((("3818458") or ("6317701") or ("6421676") or ("6470388")).PN.	USPAT; USOCR	OR	OFF	2003/10/13 14:12
S92	4101	"719"/\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:17
S93	2547	((("709/224") or ("709/223")).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:20
S94	1274	((("370/245") or ("370/254") or ("714/47")).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:20
S95	6239	"719"/\$3 or (((("709/224") or ("709/223")).CCLS.) or (((("370/245") or ("370/254") or ("714/47")).CCLS.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:20
S96	3	((("6470388") or ("6421686") or ("6317701")).PN.	USPAT; USOCR	OR	OFF	2004/03/22 09:30

S97	17	("4462077"   "4849879"   "4985894"   "5251152"   "5379406"   "5446680"   "5504863"   "5553235"   "5612898"   "5642478"   "5664093"   "5715432"   "5748881"   "5802291"   "5958004"   "6260062"   "6263255").PN.	USPAT	OR	ON	2004/03/22 09:29
S98	4	"6470388".URPN.	USPAT	OR	ON	2004/03/22 09:29
S99	15	("5448727"   "5581753"   "5586310"   "5765171"   "5781910"   "5781912"   "5787441"   "5802062"   "5819272"   "5832225"   "5832487"   "5870761"   "5884324"   "5937415"   "6167427").PN.	USPAT	OR	ON	2004/03/22 09:29
S10 0	1	"6421686".URPN.	USPAT	OR	ON	2004/03/22 09:29
S10 1	3	("5634039"   "5768119"   "5918233").PN.	USPAT	OR	ON	2004/03/22 09:30
S10 2	4	"6317701".URPN.	USPAT	OR	ON	2004/03/22 09:30
S10 3	47	((("6470388") or ("6421686") or ("6317701")).PN.) or (("4462077"   "4849879"   "4985894"   "5251152"   "5379406"   "5446680"   "5504863"   "5553235"   "5612898"   "5642478"   "5664093"   "5715432"   "5748881"   "5802291"   "5958004"   "6260062"   "6263255").PN.) or "6470388".URPN. or (("5448727"   "5581753"   "5586310"   "5765171"   "5781910"   "5781912"   "5787441"   "5802062"   "5819272"   "5832225"   "5832487"   "5870761"   "5884324"   "5937415"   "6167427").PN.) or "6421686".URPN. or (("5634039"   "5768119"   "5918233").PN.) or "6317701".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:30
S10 4	9	collect\$3 adj10 (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3) adj10 (priority or level) near5 (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:02

S10 5	0	(((("6470388") or ("6421686") or ("6317701")).PN.) or (("4462077"   "4849879"   "4985894"   "5251152"   "5379406"   "5446680"   "5504863"   "5553235"   "5612898"   "5642478"   "5664093"   "5715432"   "5748881"   "5802291"   "5958004"   "6260062"   "6263255").PN.) or "6470388". URPN. or (("5448727"   "5581753"   "5586310"   "5765171"   "5781910"   "5781912"   "5787441"   "5802062"   "5819272"   "5832225"   "5832487"   "5870761"   "5884324"   "5937415"   "6167427").PN.) or "6421686". URPN. or (("5634039"   "5768119"   "5918233").PN.) or "6317701". URPN.) and (collect\$3 adj10 (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3) adj10 (priority or level) near5 (pre-determined or specified or designated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 09:35
S10 6	7	collect\$3 with (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:02
S10 7	5	(collect\$3 with (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) not (collect\$3 adj10 (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3) adj10 (priority or level) near5 (pre-determined or specified or designated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:03

S10 8	3	((gather\$3 or collect\$3) with (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) not ((collect\$3 with (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) or (collect\$3 adj10 (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3) adj10 (priority or level) near5 (pre-determined or specified or designated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 10:47
S10 9	21	(gather\$3 or collect\$3) with (information or data or record or event or log or error) with (only adj "if" or only adj when or based or accord\$4 or correspond\$3)with priority with (preset or determined or pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 14:53
S11 0	21	(gather\$3 or collect\$3) with (information or data or record or event or log or error) with ( based or accord\$4 or correspond\$3)with priority with (preset or determined or pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/22 14:53
S11 1	81	(collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:03
S11 2	82	(collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:17

S11 3	10	(collect\$3 or gather\$3 ) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:04
S11 4	0	((collect\$3 or gather\$3 ) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:04
S11 5	1	((collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) and (collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated) with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:20
S11 6	8	((collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:07
S11 7	4	((collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) and threshold) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:16

S11 8	8	((collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) and compar\$5 near10 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:18
S11 9	5	((collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) and compar\$5 near10 priority) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:18
S12 0	1693	(collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:58
S12 1	168	(collect\$3 or gather\$3) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:18
S12 2	0	((collect\$3 or gather\$3) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority ) and compar\$5 near10 priority near10 threshold) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:21
S12 3	2	((collect\$3 or gather\$3) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority ) and compar\$5 near10 priority near10 threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:18
S12 4	168	(collect\$3 or gather\$3 ) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3) with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 14:20

S12 5	81	( (collect\$3 or gather\$3 ) with (information or data or record or event or log\$4 or error) with ("if" or "when" or based or accord\$4 or correspond\$3) with priority ) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:00
S12 6	0	(collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("only" or "if" or "when" or based or accord\$4 or correspond\$3)with priority near5 (higher or lower) adj5 (preset or predetermined or pre-determined or desingated or specified) adj priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:00
S12 7	4	(collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("only" or "if" or "when" or based or accord\$4 or correspond\$3)with priority near5 (higher or lower) adj10 (threshold or preset or predetermined or pre-determined or desingated or specified) adj5 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:08
S12 8	4	((collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("only" or "if" or "when" or based or accord\$4 or correspond\$3)with priority near5 (higher or lower) adj10 (threshold or preset or predetermined or pre-determined or desingated or specified) adj5 priority) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:08
S12 9	30	(collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("only" or "if" or "when" or based or accord\$4 or correspond\$3)with priority with (higher or lower) with (threshold or preset or predetermined or pre-determined or desingated or specified) with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:08



S13 0	23	((collect\$3 or gather\$3 or send\$3 or transmit\$4) with (information or data or record or event or log\$4 or error) with ("only" or "if" or "when" or based or accord\$4 or correspond\$3)with priority with (higher or lower) with (threshold or preset or predetermined or pre-determined or desingated or specified) with priority) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:50
S13 1	10	(gather\$3 or collect\$3) with (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:49
S13 2	7	((gather\$3 or collect\$3) with (information or data or record or event or log or error) with ("if" or "when" or based or accord\$4 or correspond\$3)with priority with (pre-determined or specified or designated)) and (@AD <"19990610" or @PRAD <"19990610" or @RLAD<"19990610"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/12 15:50
S15 2	6	("4232295"   "5455948"   "5778350"   "5943621"   "6195628"   "6282175").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/18 10:25
S15 3	3	("6421676").URPN.	USPAT	OR	ON	2004/11/18 10:32

Searched Data lost on 2004/11/19/1:00 PM  
4:00 PM } cut